

Law Offices  
**ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP**  
Suite 1000  
1725 K Street  
Washington, D.C. 20006  
(202) 659-2930  
Facsimile (202) 887-0357  
Facsimile (202) 331-7519

friday C 10

DATE: April 16, 2004

TO: Examiner Kim T. HUYNH  
U.S. Patent and Trademark Office  
Group Art Unit: 2189

FROM: George N. Stevens

RE: U.S. Patent Appln. S.N. 09/512,884  
By: KASHIWAGI, et al.  
Our Reference: 000207

FAX TEL. NO.: (703) 746-9224

NUMBER OF PAGES (INCLUDING THIS COVER SHEET): 6

**PLEASE ACKNOWLEDGE SAFE AND CLEAR RECEIPT OF ALL PAGES BEING SENT**

**RE: PROPOSED EXAMINER'S INTERVIEW**

GNS/nrp

THE INFORMATION CONTAINED IN THIS MESSAGE IS CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED. This message may also be an attorney/client communication which is privileged and confidential. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by calling us collect and return the original message to us at the above address by mail. Thank you.

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re the Application of: **KASHIWAGI, et al.**

Group Art Unit: 2189

Serial No.: 09/512,884

Examiner: **HUYNH, Kim T.**

Filed: **February 25, 2000**

P.T.O. Confirmation No.: 7754

For: **ELECTRONIC APPARATUS AND INPUT DEVICE**

**PROPOSED EXAMINER INTERVIEW**

April 16, 2004

Dear Examiner Kim:

The applicant in the above referenced case desires that an Examiner Interview take place.

The topics for discussion would include the following:

1. The primary reference Clancy et al. does not disclose or suggest that the input device can be removed from the space. Clancy et al. simply indicates that the input device may pop up from the space and not removed as required by independent claims 1 and 7-9. Specifically, independent claims 1 and 7-9 patentably distinguish over the prior art relied upon by reciting, as exemplified by claim 1,

“An electronic apparatus to which an input device is connected, comprising: a main unit; a display unit rotatably attached to the main unit; and a retaining mechanism retaining at least one portion of the input device into a space which is formed by between the display unit and the main unit when the input device is not used, wherein the input device is removable from the space.” (Emphasis Added)

Therefore, the applicant must traverse the Examiner’s grounds of rejection and request reconsideration.

U.S. Patent Application Serial No. 09/512,834

Amendment dated April 16, 2004

Reply to OA of September 8, 2003

2. In the alternative if the Examiner does not agree that the prior art of record does not disclose that the input device is removable from the space then the applicant wishes to discuss another amendment as provided below. In this possible amendment the input device is completely detachable from the main unit which is also not disclosed by Clancy et al. Consideration of this amendment is respectfully requested.

3. If the proposed amendment does not place the application in condition for allowance then any amendment to the claims the Examiner might suggest is welcomed.

We would suggest that the Examiner interview take place at 10AM on Tuesday April 20 or any day thereafter. Please call me at (202) 659-2930 to arrange the interview

Best Regards

George N. Stevens

U.S. Patent Application Serial No. 09/512,884

Amendment dated April 16, 2004

Reply to OA of September 8, 2003

**Listing of Claims:**

**Claim 1 (Currently Amended):** An electronic apparatus to which an input device is connected, comprising:

a main unit;

a display unit rotatably attached to the main unit; and

a retaining mechanism retaining at least one portion of the input device into a space which is formed by between the display unit and the main unit when the input device is not used;

~~wherein the input device is removable from the space.~~

wherein the input device is completely detachable from the main unit.

**Claim 2 (original):** The electronic apparatus as claimed in claim 1, wherein the retaining mechanism comprises at least one supporting member.

**Claim 3 (previously presented):** The electronic apparatus as claimed in claim 1, wherein the retaining mechanism further comprises a supporting member is mounted so as to be storable in the main unit when the input device is not being stored.

**Claim 4 (original):** The electronic apparatus as claimed in claim 1, wherein the retaining mechanism comprises an engaging member engaging the main unit and the input device.

U.S. Patent Application Serial No. 09/512,884  
Amendment dated April 16, 2004  
Reply to OA of September 8, 2003

**Claim 5 (previously presented):** The electronic apparatus as claimed in claim 1, wherein the retaining mechanism further comprises an engaging member is mounted so as to be storable in the main unit when the input device is not being stored.

**Claim 6 (original):** The electronic apparatus as claimed in claim 1, further comprising:  
at least one detector detecting each of a storage and a removal operation of the input device;  
and  
control means controlling a predetermined operation of the electronic apparatus according to a signal of the detector.

**Claim 7 (Currently Amended):** An input device detachably connected to an electric apparatus having a display unit rotatably attached to a main unit, the input device comprising: at least one engaging member engaging the main unit so that at least one portion of the input device is retained into a space which is formed between the display unit and the main unit, wherein the input device is removable from the space.

wherein the input device is completely detachable from the main unit.

**Claim 8 (Currently Amended):** An electronic apparatus, comprising:

U.S. Patent Application Serial No. 09/512,884

Amendment dated April 16, 2004

Reply to OA of September 8, 2003

a main unit;

a keyboard detachable from the main unit;

a display unit rotatably attached to the main unit, and

a supporting member rotatably mounted to the main unit to hold the keyboard against the main unit when the supporting member is lowered from the main unit the keyboard is mounted on the supporting member, wherein when the keyboard is mounted on the supporting member and the display unit is rotated down, the keyboard is disposed in a space between the display unit and the main unit; ~~wherein the input device is removable from the space.~~

wherein the keyboard is completely detachable from the main unit.

**Claim 9 (Currently Amended):** A main unit used for an electronic apparatus to which an input device is connected, the electronic apparatus having a display unit rotatably attached to the main unit,

the main unit comprising a support member,

wherein the support member projects from a front surface of the main unit into a space formed between the display unit and the main unit, so that at least one portion of the input device is retained into the space when the input device is not used, and

~~wherein the input device is removable from the space~~

wherein the input device is completely detachable from the main unit.